

Certificate of Analysis

Name: Clostridium difficile ribotype R087 toxin A

Product Code: NAT41672-50 / NAT41672-100 / NAT41672-500

Batch #: 24071216D

Date of Manufacture: 24th October 2024

Product Description: Native toxin purified from *Clostridioides difficile* (syn. *Clostridium difficile*) ribotype R087.

Strain/Isolate: ribotype R087

Amount: 0.05 mg / 0.10 mg / 0.50 mg

Presentation: Lyophilised. May appear bubbly/glassy due to product stabilisation in sucrose.

Buffer: 50 mM HEPES pH8.0, 150 mM NaCl, 10% (w/v) sucrose.

Reconstitution:

NAT41673-50	100ul sterile pure water	final concentration 500ug/ml
NAT41673-100	200ul sterile pure water	final concentration 500ug/ml
NAT41673-500	1000ul sterile pure water	final concentration 500ug/ml

Verocytotoxicity assay result: 2.5ng/ml (lowest point at which rounded cells are observed)

Usage Guidelines

Short Term Storage: 2°C to 8°C lyophilised

Long Term Storage: -80° C after reconstitution

Stability: Lyophilised vial 1 year after date of receipt.

Reconstituted liquid 1 month at 2°C to 8°C, up to 12 months at -80°C.

Freezing: Avoid multiple freeze-thaw cycles and temperature fluctuations of reconstituted product.

Freezing and thawing may cause aggregation and reduce activity.

Mixing: Mix gently to avoid causing aggregation.


Sterility: This product has reduced bioburden through 0.2µm filtration, but is not sterile.

Name: Clostridium difficile ribotype R087 toxin A



Product Code: NAT41672-50 / NAT41672-100 / NAT41672-500

Batch #: 24071216D


SDS-PAGE: Coomassie-stained reducing SDS-PAGE showing purified Clostridium difficile toxins.



Verocytotoxicity results




Negative control



Toxin 2.5ng/ml

09/12/2024



Toxin 12.5ng/ml

X

QC
Signed by: Toni.Ertl@lgcgroup.com

05/12/2024

X

QA
Signed by: Estelle.Tressens@LGCGroup.com

Products are for Research Use or for Further Manufacturing Use only. Not for Diagnostic or Therapeutic Use.

